



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Final Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2008	2009	2010	2011 Proposed	2011 Final	% of Change 2011 from				
								2011 (P)	2010	2009	2008	2007
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20550	tendon sheath, ligament injection	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20551	Tendon origin/insertion	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20553	Single or multiple trigger point(s), three or more muscle groups	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20600	Small joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20605	Intermediate joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
20610	Major joint injection	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
22520	Vertebroplasty (Thoracic)	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	\$2,220.8	0.3%	3.7%	12.5%	19.4%	43.8%
22521	Vertebroplasty (Lumbar)	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	\$2,220.8	0.3%	3.7%	12.5%	19.4%	43.8%
22522	Vertebroplasty - Additional	\$1,545	\$1,859	\$1,973.95	\$2,141.6	\$2,213.6	\$2,220.8	0.3%	3.7%	12.5%	19.4%	43.8%
22523	Percut kyphoplasty, thor	\$4,093	\$5,059	\$5,720.43	\$5,975.7	\$6,043.3	\$6,129.1	1.4%	2.6%	7.1%	21.2%	49.8%
22525	Percut kyphoplasty, add-on	\$4,093	\$5,059	\$5,720.43	\$5,975.7	\$6,043.3	\$6,129.1	1.4%	2.6%	7.1%	21.2%	49.8%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$748	\$923	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	-43.4%	-30.1%
62264	Percutaneous epidural adhesiolysis - 1 day	\$748	\$923	\$949.39	\$892.7	\$908.4	\$881.3	-3.0%	-1.3%	-7.2%	-4.5%	17.8%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$184	\$543	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	-3.8%	184.3%
62269	Biopsy of spinal cord, percutaneous needle	\$377	\$595	\$632.75	\$651.6	\$676.2	\$670.5	-0.8%	2.9%	6.0%	12.8%	77.7%
62270	Spinal puncture, diagnostic	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
62272	Spinal puncture, therapeutic	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
62273	Epidural, blood patch	\$352	\$261	\$241.11	\$250.9	\$527.1	\$522.7	-0.8%	108.3%	116.8%	100.3%	48.5%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Final Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2008	2009	2010	2011 Proposed	2011 Final	% of Change 2011 from				
								2011 (P)	2010	2009	2008	2007
62280	Subarachnoid neurolytic injection	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62281	Neurolytic epidural, C/T	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62282	Neurolytic epidural, L/S	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62287	Disc decompression	\$2,038	\$2,119	\$2,375.49	\$2,512.9	\$2,562.4	\$2,567.3	0.2%	2.2%	8.1%	21.1%	26.0%
62292	Chemonucleolysis	\$184	\$543	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	-3.8%	184.3%
62310	Cervical epidural	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62311	Lumbar epidural	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62318	Epidural or subarachnoid, catheterization, C/T	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
62319	Catheterization, epidural, L/S	\$391	\$449	\$473.78	\$485.3	\$908.4	\$881.3	-3.0%	81.6%	86.0%	96.1%	125.4%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or	\$1,896	\$2,311	\$2,777.19	\$2,765.6	\$2,865.2	\$2,887.1	0.8%	4.4%	4.0%	24.9%	52.3%
62355	Removal or previously implanted intrathecal or epidural catheter	\$748	\$923	\$949.39	\$892.7	\$908.4	\$881.3	-3.0%	-1.3%	-7.2%	-4.5%	17.8%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$6,923	\$2,311	\$2,777.19	\$2,765.6	\$2,865.2	\$2,887.1	0.8%	4.4%	4.0%	24.9%	-58.3%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$10,720	\$11,713	\$12,282.40	\$13,390.7	\$13,285.5	\$13,305.1	0.1%	-0.6%	8.3%	13.6%	24.1%
62362	Implant spine infusion pump	\$10,720	\$11,713	\$12,282.40	\$13,390.7	\$13,285.5	\$13,305.1	0.1%	-0.6%	8.3%	13.6%	24.1%
62365	Remove spine infusion device	\$2,038	\$2,119	\$2,375.49	\$2,512.9	\$2,562.4	\$2,567.3	0.2%	2.2%	8.1%	21.1%	26.0%
62367	Electronic analysis of programmable pump	\$178	\$148	\$109.24	\$171.3	\$169.1	\$166.8	-1.3%	-2.6%	52.7%	12.6%	-6.2%
62368	Electronic analysis of programmable pump with reprogramming	\$178	\$148	\$162.82	\$171.3	\$169.1	\$166.8	-1.3%	-2.6%	2.5%	12.6%	-6.2%
63650	Implant neuroelectrodes (NA=National price is Not Available)	\$3,477	\$4,063	\$4,206.45	\$4,429.2	\$4,464.7	\$4,553.0	2.0%	2.8%	8.2%	12.1%	30.9%
63655	Implant neuroelectrodes (NA=National price is Not Available)	\$5,175	\$5,278	\$5,476.61	\$5,831.8	\$6,068.6	\$6,201.8	2.2%	6.3%	13.2%	17.5%	19.8%
63661	Remove spine eltrd perq aray				\$1,323.7	\$1,497.3	\$1,496.2	-0.1%	13.0%			



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Final Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2008	2009	2010	2011 Proposed	2011 Final	% of Change 2011 from				
								2011 (P)	2010	2009	2008	2007
63662	Remove spine eltrd plate				\$1,323.7	\$1,497.3	\$1,496.2	-0.1%	13.0%			
63663	Remove spine eltrd perq aray				\$1,323.7	\$1,497.3	\$1,496.2	-0.1%	13.0%			
63685	Implant neuroreceiver	\$11,164	\$15,337	\$15,566.65	\$13,892.5	\$14,358.9	\$14,743.6	2.7%	6.1%	-5.3%	-3.9%	32.1%
63688	Revise/remove neuroreceiver	\$2,186	\$2,192	\$1,951.81	\$1,932.1	\$2,019.5	\$2,003.3	-0.8%	3.7%	2.6%	-8.6%	-8.4%
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
64402	Facial nerve	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
64405	Greater occipital nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64408	Vagus nerve	\$139	\$261	\$241.11	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	116.8%	100.3%	276.0%
64410	Phrenic nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	48.5%
64412	Spinal accessory nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	48.5%
64413	Cervical plexus	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64415	Brachial plexus	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64417	Axillary nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64418	Suprascapular nerve	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64420	Intercostal, single	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64421	Intercostal, multiple, regional block	\$352	\$261	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	100.3%	48.5%
64425	Ilioinguinal, Iliohypogastric	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64445	Sciatic nerve	\$139	\$261	\$241.11	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	116.8%	100.3%	276.0%
64450	Other peripheral nerve or branch	\$139	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	92.4%
64479	Cervical transforaminal epidural injections	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Final Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2008	2009	2010	2011 Proposed	2011 Final	% of Change 2011 from				
								2011 (P)	2010	2009	2008	2007
64480	Cervical transforaminal epidural injections add-on	\$391	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	-31.6%
64483	Lumbar/sacral transforaminal epidural injections	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$391	\$261	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	2.5%	-31.6%
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$352	\$261	\$241.11	\$172.3	\$182.0	\$183.8	1.0%	6.7%	-23.8%	-29.6%	-47.8%
64492	Cervical and thoracic facet joint injections, 3rd Level (New Code - Old 64472)				\$172.3	\$182.0	\$183.8	1.0%	6.7%			
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$352	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	-47.8%
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)				\$172.3	\$182.0	\$183.8	1.0%	6.7%			
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$748	\$923	\$949.39	\$892.7	\$908.4	\$881.3	-3.0%	-1.3%	-7.2%	-4.5%	17.8%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$949.39	\$1,261.8	\$1,321.2	\$1,317.8	-0.3%	4.4%	38.8%	42.8%	76.2%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$748	\$923	\$949.39	\$1,261.8	\$1,321.2	\$1,317.8	-0.3%	4.4%	38.8%	42.8%	76.2%
64612	Chemodeneration of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial)	\$139	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	32.2%
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$139	\$148	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	80.9%	92.4%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral palsy,	\$139	\$148	\$241.11	\$250.9	\$264.9	\$267.4	1.0%	6.6%	10.9%	80.9%	92.4%



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail: asipp@asipp.org

HOPD 2011 Final Payment Rates

CPT	Description	Transitional Payment Rate										
		2007	2008	2009	2010	2011 Proposed	2011 Final	% of Change 2011 from				
								2011 (P)	2010	2009	2008	2007
64620	Destruction by neurolytic agent, intercostal nerve	\$748	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	-30.1%
64622	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level	\$748	\$923	\$949.39	\$892.7	\$908.4	\$881.3	-3.0%	-1.3%	-7.2%	-4.5%	17.8%
64623	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (List	\$391	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	33.7%
64626	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level	\$748	\$923	\$949.39	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	-44.9%	-43.4%	-30.1%
64627	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level	\$391	\$148	\$164.30	\$172.3	\$182.0	\$183.8	1.0%	6.7%	11.9%	24.3%	-53.0%
64630	Destruction by neurolytic agent; pudendal nerve	\$352	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	48.5%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$352	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	48.5%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391	\$923	\$949.39	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	-44.9%	-43.4%	33.7%
72265	Contrast x-ray, lower spine	\$157	\$481	\$475.26	\$487.1	\$505.9	\$499.1	-1.3%	2.5%	5.0%	3.7%	217.9%
72270	Contrast x-ray of spine	\$157	\$481	\$475.26	\$487.1	\$505.9	\$499.1	-1.3%	2.5%	5.0%	3.7%	217.9%
72285	Diskography C/T Radiological supervision and interpretation	\$982	\$1,285	\$1,504.20	\$1,743.2	\$1,701.5	\$1,672.3	-1.7%	-4.1%	11.2%	30.1%	70.3%
72295	Diskography lumbar radiological supervision and interpretation	\$982	\$1,285	\$1,504.20	\$1,743.2	\$1,701.5	\$1,672.3	-1.7%	-4.1%	11.2%	30.1%	70.3%
73525	Radiological examination, hip, arthrography, radiological supervision and interpretation (do not	\$227	\$255	\$265.39	\$265.3	\$273.4	\$275.0	0.6%	3.7%	3.6%	7.9%	21.2%
73542	Radiological examination, Sacroiliac joint arthrography, radiological supervision and interpretation	\$227	\$255	\$265.39	\$265.3	\$273.4	\$275.0	0.6%	3.7%	3.6%	7.9%	21.2%
76000	Fluoroscopic examination	\$79	\$85	\$83.21	\$85.6	\$85.1	\$83.5	-1.9%	-2.4%	0.3%	-1.2%	5.2%
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$352	\$449	\$473.78	\$485.3	\$527.1	\$522.7	-0.8%	7.7%	10.3%	16.3%	48.5%

As of November 11, 2010