



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel	\$73.73	\$56.74	\$54.28	\$40.95	-26.4%	-27.8%	\$74.88	\$56.50	1.6%	-0.4%
20550	tendon sheath, ligament injection	\$56.06	\$40.77	\$41.45	\$29.61	-26.1%	-27.4%	\$57.18	\$40.85	2.0%	0.2%
20551	Tendon origin/insertion	\$57.08	\$42.13	\$42.43	\$30.59	-25.7%	-27.4%	\$58.54	\$42.21	2.6%	0.2%
20552	Single or multiple trigger point(s), one or two muscle group(s)	\$52.32	\$36.69	\$38.98	\$26.89	-25.5%	-26.7%	\$53.78	\$37.10	2.8%	1.1%
20553	Single or multiple trigger point(s), three or more muscle groups	\$59.12	\$41.11	\$44.65	\$30.35	-24.5%	-26.2%	\$61.61	\$41.87	4.2%	1.8%
20600	Small joint injection	\$53.00	\$38.73	\$39.23	\$27.88	-26.0%	-28.0%	\$54.12	\$38.46	2.1%	-0.7%
20605	Intermediate joint injection	\$57.76	\$40.77	\$41.45	\$29.36	-28.2%	-28.0%	\$57.18	\$40.50	-1.0%	-0.7%
20610	Major joint injection	\$76.79	\$49.61	\$50.58	\$36.02	-34.1%	-27.4%	\$69.78	\$49.69	-9.1%	0.2%
22520	Vertebroplasty (Thoracic)	\$2,229.53	\$523.58	\$1,632.25	\$371.55	-26.8%	-29.0%	\$2,251.93	\$512.61	1.0%	-2.1%
22521	Vertebroplasty (Lumbar)	\$2,187.40	\$495.04	\$1,624.85	\$353.54	-25.7%	-28.6%	\$2,241.72	\$487.76	2.5%	-1.5%
22522	Vertebroplasty - Additional	NA	\$231.04	NA	\$164.31	NA	-28.9%	NA	\$226.69	NA	-1.9%
22526	IDET, single level	\$2,090.23	\$324.81	\$1,638.91	\$240.30	-21.6%	-26.0%	\$2,261.12	\$331.53	8.2%	2.1%
22527	IDET, 1 or more levels	\$1,681.15	\$145.76	\$1,338.41	\$107.81	-20.4%	-26.0%	\$1,846.54	\$148.74	9.8%	2.0%
27093	Injection procedure for HIP arthrography – without anesthesia	\$189.25	\$70.33	\$141.37	\$50.82	-25.3%	-27.7%	\$195.04	\$70.12	3.1%	-0.3%
27095	Injection procedure for HIP arthrography – with anesthesia	\$231.72	\$81.88	\$174.92	\$59.21	-24.5%	-27.7%	\$241.33	\$81.69	4.1%	-0.2%
27096	(G0260) Injection procedure for Sacroiliac joint, arthrography	\$184.49	\$70.67	\$124.59	\$59.46	-32.5%	-15.9%	\$171.89	\$82.03	-6.8%	16.1%
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$708.75	\$399.56	\$495.40	\$246.96	-30.1%	-38.2%	\$683.48	\$340.72	-3.6%	-14.7%

NA - Not Applicable % change - from 2011 -

As of January 9, 2012



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
62264	Percutaneous epidural adhesiolysis – 1 day	\$412.47	\$232.40	\$314.31	\$173.19	-23.8%	-25.5%	\$433.64	\$238.94	5.1%	2.8%
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$352.34	\$259.24	\$215.13	\$188.49	-38.9%	-27.3%	\$296.81	\$260.05	-15.8%	0.3%
62269	Biopsy of spinal cord, percutaneous needle	\$379.18	\$266.04	\$227.22	\$191.94	-40.1%	-27.9%	\$313.49	\$264.81	-17.3%	-0.5%
62270	Spinal puncture, diagnostic	\$155.27	\$78.83	\$113.73	\$56.74	-26.8%	-28.0%	\$156.91	\$78.29	1.1%	-0.7%
62272	Spinal puncture, therapeutic	\$192.65	\$84.94	\$145.07	\$61.68	-24.7%	-27.4%	\$200.14	\$85.09	3.9%	0.2%
62273	Epidural, blood patch	\$167.50	\$111.44	\$125.33	\$82.16	-25.2%	-26.3%	\$172.91	\$113.35	3.2%	1.7%
62280	Subarachnoid neurolytic injection	\$323.46	\$162.07	\$243.26	\$121.38	-24.8%	-25.1%	\$335.61	\$167.47	3.8%	3.3%
62281	Neurolytic epidural, C/T	\$259.24	\$149.84	\$181.58	\$110.77	-30.0%	-26.1%	\$250.52	\$152.83	-3.4%	2.0%
62282	Neurolytic epidural, L/S	\$293.22	\$139.64	\$214.15	\$103.13	-27.0%	-26.2%	\$295.45	\$142.28	0.8%	1.9%
62284	Injection procedure myelography	\$213.71	\$87.32	\$146.05	\$62.17	-31.7%	-28.8%	\$201.50	\$85.77	-5.7%	-1.8%
62287	Disc decompression	NA	\$549.40	NA	\$406.09	NA	-26.1%	NA	\$560.26	NA	2.0%
62290	diskogrsphy each level: lumbar	\$331.95	\$170.56	\$249.43	\$125.33	-24.9%	-26.5%	\$344.12	\$172.91	3.7%	1.4%
62291	Diskogrsphy each level: C/T	\$313.26	\$164.45	\$236.84	\$120.64	-24.4%	-26.6%	\$326.76	\$166.44	4.3%	1.2%
62292	Chemoneucleolysis	NA	\$544.30	NA	\$414.97	NA	-23.8%	NA	\$572.51	NA	5.2%
62310	Cervical epidural	\$230.36	\$103.29	\$178.87	\$77.71	-22.4%	-24.8%	\$246.77	\$107.22	7.1%	3.8%
62311	Lumbar epidural	\$197.74	\$84.94	\$151.48	\$63.65	-23.4%	-25.1%	\$208.99	\$87.82	5.7%	3.4%
62318	Epidural or subarachnoid, catheterization, C/T	\$236.82	\$99.21	\$182.07	\$73.77	-23.1%	-25.6%	\$251.20	\$101.77	6.1%	2.6%

NA - Not Applicable % change - from 2011 -

As of January 9, 2012



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
62319	Catheterization, epidural, L/S	\$188.91	\$94.11	\$134.21	\$70.31	-29.0%	-25.3%	\$185.16	\$97.01	-2.0%	3.1%
62350	Tunneled intrathecal or epidural catheter for long-term medication administration via an external pump or implantable reservoir; w/o laminectomy	NA	\$389.71	NA	\$289.15	NA	-25.8%	NA	\$398.92	NA	2.4%
62355	Removal or previously implanted intrathecal or epidural catheter	NA	\$294.24	NA	\$189.23	NA	-35.7%	NA	\$261.07	NA	-11.3%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	NA	\$300.69	NA	\$224.26	NA	-25.4%	NA	\$309.40	NA	2.9%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	NA	\$388.01	NA	\$253.87	NA	-34.6%	NA	\$350.25	NA	-9.7%
62362	Implant spine infusion pump	NA	\$406.70	NA	\$281.99	NA	-30.7%	NA	\$389.05	NA	-4.3%
62365	Remove spine infusion device	NA	\$324.13	NA	\$213.41	NA	-34.2%	NA	\$294.43	NA	-9.2%
62367	Electronic analysis of programmable pump	\$40.09	\$24.46	\$29.61	\$18.01	-26.2%	-26.4%	\$40.85	\$24.85	1.9%	1.6%
62368	Electronic analysis of programmable pump with reprogramming	\$57.76	\$38.05	\$39.97	\$24.67	-30.8%	-35.2%	\$55.14	\$34.04	-4.5%	-10.6%
63650	Implant neuroelectrodes (NA=National price is Not Available)	NA	\$414.85	NA	\$309.62	NA	-25.4%	NA	\$427.17	NA	3.0%
63655	Implant neuroelectrodes (NA=National price is Not Available)	NA	\$855.53	NA	\$603.70	NA	-29.4%	NA	\$832.90	NA	-2.6%
63661	Remove spine eltrd perq aray	\$597.64	\$330.25	\$435.94	\$235.86	-27.1%	-28.6%	\$601.44	\$325.40	0.6%	-1.5%
63662	Remove spine eltrd plate	NA	\$716.56	NA	\$569.66	NA	-20.5%	NA	\$785.93	NA	9.7%
63663	Remove spine eltrd perq aray	\$853.83	\$479.41	\$619.99	\$344.16	-27.4%	-28.2%	\$855.36	\$474.82	0.2%	-1.0%
63664	Remove spine eltrd plate	NA	\$745.10	NA	\$583.47	NA	-21.7%	NA	\$804.99	NA	8.0%
63685	Implant neuroreceiver	NA	\$396.50	NA	\$263.24	NA	-33.6%	NA	\$363.18	NA	-8.4%
63688	Revise/remove neuroreceiver	NA	\$358.45	NA	\$266.70	NA	-25.6%	NA	\$367.95	NA	2.6%

NA - Not Applicable % change - from 2011 -

As of January 9, 2012



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch	\$112.80	\$66.59	\$85.61	\$49.34	-24.1%	-25.9%	\$118.11	\$68.08	4.7%	2.2%
64402	Facial nerve	\$112.46	\$72.71	\$85.86	\$54.28	-23.7%	-25.4%	\$118.45	\$74.88	5.3%	3.0%
64405	Greater occipital nerve	\$112.46	\$79.50	\$70.31	\$44.90	-37.5%	-43.5%	\$97.01	\$61.95	-13.7%	-22.1%
64408	Vagus nerve	\$122.65	\$90.72	\$77.71	\$56.99	-36.6%	-37.2%	\$107.22	\$78.63	-12.6%	-13.3%
64410	Phrenic nerve	\$148.14	\$83.58	\$110.28	\$63.41	-25.6%	-24.1%	\$152.15	\$87.48	2.7%	4.7%
64412	Spinal accessory nerve	\$149.16	\$74.07	\$107.81	\$53.78	-27.7%	-27.4%	\$148.74	\$74.20	-0.3%	0.2%
64413	Cervical plexus	\$118.58	\$78.83	\$89.56	\$58.22	-24.5%	-26.1%	\$123.56	\$80.33	4.2%	1.9%
64415	Brachial plexus	\$122.32	\$67.27	\$90.05	\$48.36	-26.4%	-28.1%	\$124.24	\$66.71	1.6%	-0.8%
64417	Axillary nerve	\$128.43	\$69.65	\$96.46	\$51.56	-24.9%	-26.0%	\$133.09	\$71.14	3.6%	2.1%
64418	Suprascapular nerve	\$136.92	\$73.39	\$100.66	\$53.78	-26.5%	-26.7%	\$138.87	\$74.20	1.4%	1.1%
64420	Intercostal, single	\$135.91	\$66.59	\$91.28	\$49.34	-32.8%	-25.9%	\$125.94	\$68.08	-7.3%	2.2%
64421	Intercostal, multiple, regional block	\$195.36	\$91.74	\$128.78	\$68.34	-34.1%	-25.5%	\$177.68	\$94.28	-9.1%	2.8%
64425	Ilioinguinal, Iliohypogastric	\$130.47	\$94.11	\$97.45	\$69.08	-25.3%	-26.6%	\$134.45	\$95.31	3.0%	1.3%
64445	Sciatic nerve	\$133.53	\$75.43	\$98.68	\$53.78	-26.1%	-28.7%	\$136.15	\$74.20	2.0%	-1.6%
64450	Other peripheral nerve or branch	\$102.27	\$68.63	\$76.48	\$50.08	-25.2%	-27.0%	\$105.52	\$69.10	3.2%	0.7%
64479	Cervical transforaminal epidural injections	\$265.36	\$131.15	\$188.98	\$97.20	-28.8%	-25.9%	\$260.73	\$134.11	-1.7%	2.3%
64480	Cervical transforaminal epidural injections add-on	\$126.39	\$66.93	\$90.54	\$48.11	-28.4%	-28.1%	\$124.92	\$66.37	-1.2%	-0.8%

NA - Not Applicable % change - from 2011 -

As of January 9, 2012



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
64483	Lumbar/sacral transforaminal epidural injections	\$240.21	\$102.61	\$175.41	\$81.17	-27.0%	-20.9%	\$242.01	\$111.98	0.7%	9.1%
64484	Lumbar/sacral transforaminal epidural injections add-on	\$106.35	\$53.00	\$72.53	\$38.24	-31.8%	-27.9%	\$100.07	\$52.76	-5.9%	-0.5%
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$196.38	\$111.44	\$146.55	\$80.43	-25.4%	-27.8%	\$202.18	\$110.96	3.0%	-0.4%
64491	Cervical and thoracic facet joint injections, 2nd Level (Old 64472)	\$97.17	\$62.86	\$71.30	\$44.90	-26.6%	-28.6%	\$98.37	\$61.95	1.2%	-1.4%
64492	Cervical and thoracic facet joint injections, 3rd Level (New Code - Old 64472)	\$98.19	\$63.88	\$71.79	\$45.40	-26.9%	-28.9%	\$99.05	\$62.63	0.9%	-2.0%
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$174.98	\$93.77	\$131.25	\$67.60	-25.0%	-27.9%	\$181.08	\$93.26	3.5%	-0.5%
64494	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 2nd Level (Old 64476)	\$87.66	\$53.34	\$65.13	\$37.99	-25.7%	-28.8%	\$89.86	\$52.42	2.5%	-1.7%
64495	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 3rd Level (New Code - Old 64476)	\$89.02	\$54.02	\$65.63	\$38.73	-26.3%	-28.3%	\$90.54	\$53.44	1.7%	-1.1%
64505	Injection, anesthetic agent; sphenopalatine ganglion	\$97.85	\$81.88	\$72.78	\$60.69	-25.6%	-25.9%	\$100.41	\$83.73	2.6%	2.3%
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)	\$104.31	\$74.75	\$62.42	\$55.76	-40.2%	-25.4%	\$86.12	\$76.93	-17.4%	2.9%
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$134.89	\$69.65	\$97.94	\$52.55	-27.4%	-24.6%	\$135.13	\$72.50	0.2%	4.1%
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$190.95	\$78.15	\$143.34	\$58.22	-24.9%	-25.5%	\$197.76	\$80.33	3.6%	2.8%
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$193.33	\$90.38	\$146.05	\$67.35	-24.5%	-25.5%	\$201.50	\$92.92	4.2%	2.8%
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch	\$410.10	\$219.83	\$297.53	\$159.38	-27.4%	-27.5%	\$410.49	\$219.88	0.1%	0.0%
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$646.91	\$340.10	\$425.58	\$244.00	-34.2%	-28.3%	\$587.15	\$336.63	-9.2%	-1.0%
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale under radiologic monitoring	\$727.77	\$486.88	\$547.45	\$354.28	-24.8%	-27.2%	\$755.29	\$488.78	3.8%	0.4%
64612	Chemodenevation of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm, hemifacial spasm)	\$171.24	\$155.95	\$126.56	\$116.20	-26.1%	-25.5%	\$174.61	\$160.32	2.0%	2.8%

NA - Not Applicable % change - from 2011 -

As of January 9, 2012



American Society of Interventional Pain Physicians
 " The Voice of Interventional Pain Management "
 81 Lakeview Drive, Paducah, KY 42001
 Tel.: (270) 554-9412; Fax : (270) 554-8987
 E-mail:asipp@asipp.org

2012 Final - Physician Payment Rates

CPT	Description	2011 (CF=\$33.9764)		2012 (CF=\$24.6712) Without			2012 (CF=\$34.0376) Without Cut				
		Non-Facility (Office)	Facility (ASC/Hospital)	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2010 Non-Facility	Facility	Non-Facility (Office)	Facility (ASC/Hospital)	% Of change from 2011 Non-Facility	Facility
64613	Chemodeneration of muscle(s); neck muscle(s) (eg, for spasmodic torticollis, spasmodic dysphonia)	\$164.11	\$145.42	\$120.40	\$108.55	-26.6%	-25.4%	\$166.10	\$149.77	1.2%	3.0%
64614	Chemodeneration of muscle(s); extremity(s) and/or trunk muscle(s) (eg, for dystonia,cerebral palsy, multiple sclerosis)	\$174.98	\$151.87	\$128.78	\$113.24	-26.4%	-25.4%	\$177.68	\$156.23	1.5%	2.9%
64620	Destruction by neurolytic agent, intercostal nerve	\$238.85	\$169.54	\$163.32	\$125.58	-31.6%	-25.9%	\$225.33	\$173.25	-5.7%	2.2%
64630	Destruction by neurolytic agent; pudendal nerve	\$225.26	\$187.89	\$167.02	\$138.16	-25.9%	-26.5%	\$230.43	\$190.61	2.3%	1.4%
64633	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, single level (64626)	\$398.54	\$247.69	\$327.88	\$170.72	-17.7%	-31.1%	\$452.36	\$235.54	13.5%	-4.9%
64634	Destruction by neurolytic agent, paravertebral facet joint nerve; cervical or thoracic, each additional level (64627)	\$170.90	\$58.78	\$150.25	\$51.07	-12.1%	-13.1%	\$207.29	\$70.46	21.3%	19.9%
64635	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, single level (old 64622)	\$335.01	\$182.79	\$322.21	\$167.27	-3.8%	-8.5%	\$444.53	\$230.77	32.7%	26.2%
64636	Destruction by neurolytic agent, paravertebral facet joint nerve; lumbar or sacral, each additional level (64623)	\$125.03	\$49.95	\$135.20	\$44.41	8.1%	-11.1%	\$186.53	\$61.27	49.2%	22.7%
64640	Destruction by neurolytic agent; other peripheral nerve or branch	\$217.79	\$168.18	\$159.38	\$123.11	-26.8%	-26.8%	\$219.88	\$169.85	1.0%	1.0%
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$313.60	\$163.09	\$236.10	\$120.64	-24.7%	-26.0%	\$325.74	\$166.44	3.9%	2.1%