

The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description	Transitional Payment Rate											
		2007	2012	2013	2014	2015P	2015F	% of Change 2015F from					
								2015P 2	014	2013 2	2012 2	2007	
20526	Injection, therapeutic (eg, local anesthetic; corticosteroid), carpal tunnel		\$27.63	\$29.25	\$28.30	\$39.38	\$39.38	0.0%	39%	35%	43%		
20550	tendon sheath, ligament injection		\$20.97	\$22.25	\$21.48	\$29.71	\$29.72	0.0%	38%	34%	42%		
20551	Tendon origin/insertion		\$21.96	\$23.75	\$23.06	\$31.50	\$31.51	0.0%	37%	33%	43%		
20552	Single or multiple trigger point(s), one or two muscle group(s)		\$20.97	\$22.75	\$21.75	\$30.07	\$30.07	0.0%	38%	32%	43%		
20553	Single or multiple trigger point(s), three or more muscle groups		\$24.42	\$27.00	\$25.68	\$35.44	\$35.44	0.0%	38%	31%	45%		
20600	Small joint injection		\$21.22	\$16.50	\$16.24	\$22.19	\$22.20	0.0%	37%	35%	5%		
20605	Intermediate joint injection		\$22.70	\$20.75	\$17.03	\$23.63	\$23.63	0.0%	39%	14%	4%		
20610	Major joint injection		\$28.13	\$21.50	\$20.96	\$29.00	\$28.64	-1.2%	37%	33%	2%		
22510	Perq cervicothoracic inj- 22520	\$1,339.0	\$1,309.22	\$1,294.39	\$1,422.98	\$1,402.94	\$1,426.27	1.7%	0%	10%	9%	7%	
22511	Perq lumbosacral injectio- OLD 22521	\$1,339.0	\$1,309.22	\$1,294.39	\$1,422.98	\$1,402.94	\$1,426.27	1.7%	0%	10%	9%	7%	
22513	Percut vertebral augmentati, thor - OLD 225253		\$3,585.09	\$3,289.61	\$3,594.58	\$3,400.49	\$3,465.63	1.9%	-4%	5%	-3%		
22514	Percut kyphoplasty, Lumbar- OLD 22524		\$3,585.09	\$3,289.61	\$3,594.58	\$3,400.49	\$3,465.63	1.9%	-4%	5%	-3%		
62263	Percutaneous epidural adhesiolysis - 2 or 3 days	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%	
62264	Percutaneous epidural adhesiolysis – 1 day	\$333.0	\$516.47	\$480.71	\$370.07	\$369.82	\$368.37	-0.4%	0%	-23%	-29%	11%	
62268	Percutaneous aspiration, spinal cord cyst or syrinx	\$183.8	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	100%	
62269	Biopsy of spinal cord, percutaneous needle	\$333.0	\$390.25	\$400.40	\$418.60	\$574.99	\$576.97	0.3%	38%	44%	48%	73%	
62270	Spinal puncture, diagnostic	\$139.0	\$156.38	\$163.70	\$195.55	\$203.20	\$204.32	0.6%	4%	25%	31%	47%	
62272	Spinal puncture, therapeutic	\$139.0	\$156.38	\$163.70	\$195.55	\$203.20	\$204.32	0.6%	4%	25%	31%	47%	
62273	Epidural, blood patch	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%	



The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description	Transitional Payment Rate 2007 2012 2013 2014 2015P 2015F % of Change 2015F from										
		2007	2012	2013	2014	2015P	2015F			2007		
	Subarachnoid neurolytic injection	_										
62280		\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%
62281	Neurolytic epidural, C/T	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%
62282	Neurolytic epidural, L/S	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%
62287	Disc decompression	\$1,339.0	\$1,457.83	\$1,392.48	\$1,582.01	\$1,567.55	\$1,615.60	3.1%	2%	16%	11%	21%
62292	Chemonucleolysis		\$300.76	\$317.46	\$853.53	\$824.64	\$805.75	-2.3%	-6%	154%	168%	
62310	Cervical epidural	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%
62311	Lumbar epidural	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%
62318	Epidural or subarachnoid, catheterization, C/T	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%
62319	Catheterization, epidural, L/S	\$333.0	\$516.47	\$480.71	\$370.07	\$369.82	\$368.37	-0.4%	0%	-23%	-29%	11%
62350	Tunneled intrathecal or epidural catheter for long- term medication administration via an external	\$446.0	\$1,676.76	\$1,824.28	\$1,886.87	\$2,015.38	\$2,007.50	-0.4%	6%	10%	20%	350%
62355	Removal or previously implanted intrathecal or epidural catheter	\$446.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	81%
62360	Implant or replacement of device for intrathecal or epidural drug infusion; subcutaneous reservoir	\$446.0	\$1,676.76	\$1,824.28	\$1,886.87	\$2,015.38	\$2,007.50	-0.4%	6%	10%	20%	350%
62361	Implantation or replacement of device for epidural drug infusion; non-programmable pump	\$446.0	\$12,424.40	\$12,969.25	\$13,417.72	\$13,385.87	\$13,237.22	-1.1%	-1%	2%	7%	2868%
62362	Implant spine infusion pump	\$446.0	\$12,424.40	\$12,969.25	\$13,417.72	\$13,385.87	\$13,237.22	-1.1%	-1%	2%	7%	2868%
62365	Remove spine infusion device	\$446.0	\$1,457.83	\$1,392.48	\$1,582.01	\$1,567.55	\$1,615.60	3.1%	2%	16%	11%	262%
62367	Electronic analysis of programmable pump		\$16.53	\$18.00	\$17.03	\$22.91	\$22.91	0.0%	35%	27%	39%	
62368	Electronic analysis of programmable pump with reprogramming		\$22.45	\$24.25	\$23.06	\$31.50	\$31.51	0.0%	37%	30%	40%	
63650	Implant neuroelectrodes (NA=National price is Not Available)	\$446.0	\$3,593.57	\$3,550.55	\$3,691.78	\$3,890.05	\$3,836.95	-1.4%	4%	8%	7%	760%
63655	Implant neuroelectrodes (NA=National price is Not Available)		\$5,264.08	\$5,860.83	\$6,295.98	\$15,538.36	\$15,854.21	2.0%	152%	171%	201%	



The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description	Transitional Payment Rate											
		2007	2012	2013	2014	2015P	2015F	% of Change 2015F from					
								2015P 2	014	2013 2	012 2	2007	
63661	Remove spine eltrd perq aray		\$836.06	\$847.91	\$945.06	\$756.47	\$758.63	0.3%	-20%	-11%	-9%		
63662	Remove spine eltrd plate		\$836.06	\$847.91	\$945.06	\$1,155.85	\$1,166.84	1.0%	23%	38%	40%		
63663	Remove spine eltrd perq aray		\$3,593.57	\$3,550.55	\$3,691.78	\$3,890.05	\$3,836.95	-1.4%	4%	8%	7%		
63664	Remove spine eltrd plate		\$3,593.57	\$3,550.55	\$3,691.78	\$3,890.05	\$3,836.95	-1.4%	4%	8%	7%		
63685	Implant neuroreceiver	\$446.0	\$14,283.97	\$15,431.30	\$16,172.35	\$20,590.03	\$20,806.60	1.1%	29%	35%	46%	4565%	
63688	Revise/remove neuroreceiver	\$333.0	\$1,254.91	\$1,457.96	\$1,227.57	\$1,155.85	\$1,166.84	1.0%	-5%	-20%	-7%	250%	
64400	Injection, anesthetic agent; Trigeminal nerve, any division or branch		\$53.78	\$60.25	\$58.69	\$81.98	\$81.98	0.0%	40%	36%	52%		
64405	Greater occipital nerve		\$42.43	\$47.75	\$45.33	\$62.29	\$62.29	0.0%	37%	30%	47%		
64408	Vagus nerve		\$38.98	\$34.00	\$33.01	\$63.72	\$63.37	-0.5%	92%	86%	63%		
64410	Phrenic nerve	\$333.0	\$105.14	\$102.47	\$111.70	\$117.91	\$115.77	-1.8%	4%	13%	10%	-65%	
64412	Spinal accessory nerve		\$73.77	\$70.50	\$66.55	\$96.65	\$96.66	0.0%	45%	37%	31%		
64413	Cervical plexus		\$50.08	\$54.00	\$50.57	\$73.39	\$73.75	0.5%	46%	37%	47%		
64415	Brachial plexus	\$139.0	\$156.38	\$163.70	\$195.55	\$203.20	\$204.32	0.6%	4%	25%	31%	47%	
64417	Axillary nerve	\$139.0	\$156.38	\$163.70	\$195.55	\$203.20	\$204.32	0.6%	4%	25%	31%	47%	
64418	Suprascapular nerve		\$65.13	\$70.25	\$68.12	\$96.30	\$96.66	0.4%	42%	38%	48%		
64420	Intercostal, single	\$139.0	\$156.38	\$163.70	\$195.55	\$203.20	\$204.32	0.6%	4%	25%	31%	47%	
64421	Intercostal, multiple, regional block	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%	
64425	Ilioinguinal, Iliohypogastric		\$49.34	\$52.50	\$48.47	\$65.15	\$65.16	0.0%	34%	24%	32%		
64445	Sciatic nerve		\$58.22	\$60.50	\$57.38	\$78.40	\$78.76	0.5%	37%	30%	35%		



The Voice of Interventional Pain Management 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

CPT	Description			Transitiona	al Payment Rate	Э									
		2007	2012	2013	2014	2015P	2015F	% of Change 2015F from 2015P 2014 2013 2012 2007							
	Other peripheral nerve or branch				•				-			2007			
64450	` '		\$42.43	\$39.50	\$37.99	\$52.26	\$52.27	0.0%	38%	32%	23%				
64479	Cervical transforaminal epidural injections	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64483	Lumbar/sacral transforaminal epidural injections	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64490	Cervical and thoracic facet joint injections, 1st Level (Old 64470)	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64493	Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level (Old 64475)	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64505	Injection, anesthetic agent; sphenopalatine ganglion		\$36.76	\$40.75	\$38.78	\$52.26	\$52.27	0.0%	35%	28%	42%				
64508	Injection, anesthetic agent; Carotid sinus (separate procedure)		\$28.87	\$14.25	\$13.36	\$15.04	\$14.68	-2.4%	10%	3%	-49%				
64510	Injection, anesthetic agent; Stellate ganglion (cervical sympathetic)	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64520	Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64530	Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			
64600	Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%			
64605	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale	\$333.0	\$762.31	\$754.56	\$764.49	\$756.47	\$758.63	0.3%	-1%	1%	0%	128%			
64610	Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen	\$333.0	\$762.31	\$754.56	\$764.49	\$756.47	\$758.63	0.3%	-1%	1%	0%	128%			
64612	Chemodenervation of muscle(s); muscle(s) innervated by facial nerve (eg, for blepharospasm,		\$60.94	\$55.25	\$53.71	\$72.31	\$72.68	0.5%	35%	32%	19%				
64620	Destruction by neurolytic agent, intercostal nerve	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%			
64630	Destruction by neurolytic agent; pudendal nerve	\$351.9	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	5%			
64633	Destruction by neurolytic agent, paravertebral facet joint nerve; C/T, single level (old 64626)	\$333.0	\$300.76	\$317.46	\$853.53	\$824.64	\$805.75	-2.3%	-6%	154%	168%	142%			
64635	Destruction by neurolytic agent, paravertebral facet joint nerve; L/S, single level (old 64622)	\$333.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	142%			
64640	Destruction by neurolytic agent; other peripheral nerve or branch		\$84.13	\$68.00	\$63.93	\$87.70	\$87.71	0.0%	37%	29%	4%				



American Society of Interventional Pain Physicians

"The Voice of Interventional Pain Management" 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax: (270) 554-8987 E-mail:asipp@asipp.org

2015 ASC FINAL Payment Rates

CPT	Description			Transitiona	al Payment Rate	Э									
		2007	2012	2013	2014	2015P	2015F	% of Change 2015F from							
								2015P	2014	2013	2012	2007			
64680	Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$391.0	\$516.47	\$480.71	\$853.53	\$824.64	\$805.75	-2.3%	-6%	68%	56%	106%			
G0260	(27096) Injection procedure for Sacroiliac joint, arthrography	\$333.0	\$300.76	\$317.46	\$370.07	\$369.82	\$368.37	-0.4%	0%	16%	22%	11%			

Note: 72275, 72285, 72291, 72292, 72295, 77001, 77002, 77003 are Packaged service/item; no separate payment made for ASC codes.

No payments for all Add-on codes