ASIPP OF UTERVENTOR HA

American Society of Interventional Pain Physicians " The Voice of Interventional Pain Management "

The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

2017 ASC FINAL Payment Rates

| CPT | Description | | Transitional Payment Rate | | | | | | | | | | |
|-------|--|-----------|---------------------------|------------|------------|------------|------------|--------|----------|-------------|------|------|--|
| | | 2007 | 2014 | 2015 | 2016 | 2017P | 2017F | | ange 201 | | | | |
| | | | | | | | | 2017P | 2016 | 2015 | 2014 | 2007 | |
| 20526 | Injection, therapeutic | | \$28.30 | \$39.38 | \$39.76 | \$39.38 | \$39.48 | 0.3% | -0.7% | 0% | 40% | | |
| 20550 | tendon sheath, ligament injection | | \$21.48 | \$29.72 | \$30.09 | \$23.63 | \$23.69 | 0.3% | -21.3% | -20% | 10% | | |
| 20551 | Tendon origin/insertion injection | | \$23.06 | \$31.51 | \$31.52 | \$31.87 | \$31.94 | 0.2% | 1.3% | 1% | 39% | | |
| 20552 | Single or multiple trigger point(s), one or two muscle group(s) | | \$21.75 | \$30.07 | \$30.09 | \$30.08 | \$30.15 | 0.2% | 0.2% | 0% | 39% | | |
| 20553 | Single or multiple trigger point(s), three or more muscle groups | | \$25.68 | \$35.44 | \$35.10 | \$35.09 | \$35.17 | 0.2% | 0.2% | -1% | 37% | | |
| 20600 | Small joint injection | | \$16.24 | \$22.20 | \$22.57 | \$22.56 | \$22.61 | 0.2% | 0.2% | 2% | 39% | | |
| 20605 | Intermediate joint injection | | \$17.03 | \$23.63 | \$24.00 | \$23.63 | \$24.05 | 1.8% | 0.2% | 2% | 41% | | |
| 20610 | Major joint injection | | \$20.96 | \$28.64 | \$29.01 | \$28.64 | \$29.07 | 1.5% | 0.2% | 2% | 39% | | |
| 22510 | Vertebroplasty (Cervicothoracic) | \$1,339.0 | \$1,422.98 | \$1,426.27 | \$1,339.58 | \$1,213.15 | \$1,217.75 | 0.4% | -9.1% | -15% | -14% | -9% | |
| 22511 | Vertebroplasty (Lumbosacral) | \$1,339.0 | \$1,422.98 | \$1,426.27 | \$1,339.58 | \$1,213.15 | \$1,217.75 | 0.4% | -9.1% | -15% | -14% | -9% | |
| 22513 | Kyphoplasty, thoracic | | \$3,594.58 | \$3,465.63 | \$3,532.70 | \$2,681.86 | \$2,647.21 | -1.3% | -25.1% | -24% | -26% | | |
| 22514 | Kyphoplasty, lumbar | | \$3,594.58 | \$3,465.63 | \$3,532.70 | \$2,681.86 | \$2,647.21 | -1.3% | -25.1% | -24% | -26% | | |
| 62263 | Percutaneous epidural adhesiolysis - 2 or 3 days | \$333.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | 4% | |
| 62264 | Percutaneous epidural adhesiolysis – 1 day | \$333.0 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | 4% | |
| 62268 | Percutaneous aspiration, spinal cord cyst or syrinx | \$183.8 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | -6% | -7% | 88% | |
| 62269 | Biopsy of spinal cord, percutaneous needle | \$333.0 | \$418.60 | \$576.97 | \$526.74 | \$582.50 | \$520.88 | -10.6% | -1.1% | -10% | 24% | 56% | |
| 62270 | Spinal puncture, diagnostic | \$139.0 | \$195.55 | \$204.32 | \$327.22 | \$308.43 | \$273.83 | -11.2% | -16.3% | 34% | 40% | 97% | |
| 62272 | Spinal puncture, therapeutic | \$139.0 | \$195.55 | \$204.32 | \$327.22 | \$308.43 | \$273.83 | -11.2% | -16.3% | 34% | 40% | 97% | |
| 62273 | Epidural, blood patch | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$273.83 | -11.2% | -16.3% | -26% | -26% | -18% | |

ASIPP OF UTERVENTION

American Society of Interventional Pain Physicians "The Voice of Interventional Pain Management"

The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

2017 ASC FINAL Payment Rates

| CPT | Description | Transitional Payment Rate | | | | | | | | | | |
|-------|---|---------------------------|------------|------------|------------|------------|------------|--------|-----------|------------|------|------|
| | | 2007 | 2014 | 2015 | 2016 | 2017P | 2017F | | hange 20' | | | |
| | Outomotive and the interstitute | | | | | | | 2017P | 2016 | 2015 | 2014 | 2007 |
| 62280 | Subarachnoid neurolytic injection | \$333.0 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | 4% |
| 62281 | Neurolytic epidural, C/T | \$333.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | 4% |
| 62282 | Neurolytic epidural, L/S | \$333.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | 4% |
| 62287 | Disc decompression | \$1,339.0 | \$1,582.01 | \$1,615.60 | \$1,899.43 | \$1,882.09 | \$1,884.99 | 0.2% | -0.8% | 17% | 19% | 41% |
| 62292 | Chemonucleolysis | | \$853.53 | \$805.75 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | -2% | -8% | |
| 62310 | Cervical epidural | \$333.0 | \$370.07 | \$368.37 | \$327.22 | | | | | | | |
| 62311 | Lumbar epidural | \$333.0 | \$370.07 | \$368.37 | \$327.22 | | | | | | | |
| 62318 | Epidural or subarachnoid, catheterization, C/T | \$333.0 | \$370.07 | \$368.37 | \$459.71 | | | | | | | |
| 62319 | Catheterization, epidural, L/S | \$333.0 | \$370.07 | \$368.37 | \$459.71 | | | | | | | |
| 62320 | Cervical/Thoracic epidural without imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$308.43 | \$273.83 | -11.2% | | | | |
| 62321 | Cervical/Thoracic epidural WITH imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$308.43 | \$273.83 | -11.2% | | | | |
| 62322 | Lumbar/Caudal epidural without imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$308.43 | \$273.83 | -11.2% | | | | |
| 62323 | Lumbar/Caudal epidural WITH imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$308.43 | \$273.83 | -11.2% | | | | |
| 62324 | Epidural or subarachnoid, catheterization, C/T without imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$382.99 | \$344.95 | -9.9% | | | | |
| 62325 | Epidural or subarachnoid, catheterization, C/T WITH imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$382.99 | \$344.95 | -9.9% | | | | |
| 62326 | Epidural or subarachnoid, catheterization, L/S without imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$382.99 | \$344.95 | -9.9% | | | | |
| 62327 | Epidural or subarachnoid, catheterization, L/S WITH imaging guidance | \$0.0 | \$0.00 | \$0.00 | | \$382.99 | \$344.95 | -9.9% | | | | |
| 62350 | Tunneled intrathecal or epidural catheter | \$446.0 | \$1,886.87 | \$2,007.50 | \$1,899.43 | \$1,882.09 | \$1,884.99 | 0.2% | -0.8% | -6% | 0% | 323% |
| 62355 | Removal or previously implanted intrathecal or epidural catheter | \$446.0 | \$853.53 | \$805.75 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | -2% | -8% | 77% |

ASIPP TO MARKEN STATE

American Society of Interventional Pain Physicians "The Voice of Interventional Pain Management"

The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

2017 ASC FINAL Payment Rates

| CPT | Description | | Transitional Payment Rate | | | | | | | | | | |
|-------|--|---------|---------------------------|-------------|-------------|-------------|-------------|-------|------------------|-----------------|------|-------|--|
| | | 2007 | 2014 | 2015 | 2016 | 2017P | 2017F | | ange 201 2016 | 7 Final 2015 | 2014 | 2007 | |
| 62360 | Implant or replacement of subcutaneous reservoir | \$446.0 | \$1,886.87 | \$2,007.50 | \$12,887.49 | \$12,039.46 | \$12,496.49 | 3.8% | -3.0% | 522% | 562% | 2702% | |
| 62361 | Implantation or replacement of non-programmable pump | \$446.0 | \$13,417.72 | \$13,237.22 | \$12,887.49 | \$12,774.99 | \$13,149.60 | 2.9% | 2.0% | -1% | -2% | 2848% | |
| 62362 | Implant spine infusion pump | \$446.0 | \$13,417.72 | \$13,237.22 | \$12,887.49 | \$12,829.26 | \$13,181.93 | 2.7% | 2.3% | 0% | -2% | 2856% | |
| 62365 | Remove spine infusion device | \$446.0 | \$1,582.01 | \$1,615.60 | \$1,899.43 | \$1,882.09 | \$1,884.99 | 0.2% | -0.8% | 17% | 19% | 323% | |
| 62367 | Electronic analysis of programmable pump | | \$17.03 | \$22.91 | \$23.28 | \$22.56 | \$22.97 | 1.8% | -1.3% | 0% | 35% | | |
| 62368 | Electronic analysis of programmable pump with reprogramming | | \$23.06 | \$31.51 | \$31.88 | \$30.79 | \$30.86 | 0.2% | -3.2% | -2% | 34% | | |
| 62380 | Endoscopic Decompression of Lumbar Spine | | | | | \$3,623.63 | \$3,631.80 | 0.2% | | | | | |
| 63650 | Implant neuroelectrodes | \$446.0 | \$3,691.78 | \$3,836.95 | \$3,993.90 | \$4,534.35 | \$4,421.66 | -2.5% | 10.7% | 15% | 20% | 891% | |
| 63655 | Implant neuroelectrodes | | \$6,295.98 | \$15,854.21 | \$14,797.32 | \$14,069.64 | \$14,674.55 | 4.3% | -0.8% | -7% | 133% | | |
| 63661 | Remove spine eltrd perq aray | | \$945.06 | \$758.63 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | 4% | -17% | | |
| 63662 | Remove spine eltrd plate | | \$945.06 | \$1,166.84 | \$1,223.86 | \$1,435.63 | \$1,452.57 | 1.2% | 18.7% | 24% | 54% | | |
| 63663 | Remove spine eltrd perq aray | | \$3,691.78 | \$3,836.95 | \$3,993.90 | \$4,643.16 | \$4,487.98 | -3.3% | 12.4% | 17% | 22% | | |
| 63664 | Remove spine eltrd plate | 1 | \$3,691.78 | \$3,836.95 | \$3,993.90 | \$12,923.68 | \$13,669.08 | 5.8% | 242.2% | 256% | 270% | | |
| 63685 | Implant neuroreceiver | \$446.0 | \$16,172.35 | \$20,806.60 | \$21,258.56 | \$21,540.41 | \$23,148.41 | 7.5% | 8.9% | 11% | 43% | 5090% | |
| 63688 | Revise/remove neuroreceiver | \$333.0 | \$1,227.57 | \$1,166.84 | \$1,223.86 | \$1,435.63 | \$1,452.57 | 1.2% | 18.7% | 24% | 18% | 336% | |
| 64400 | Injection, Trigeminal nerve | | \$58.69 | \$81.98 | \$82.75 | \$81.28 | \$82.19 | 1.1% | -0.7% | 0% | 40% | | |
| 64405 | Greater occipital nerve | | \$45.33 | \$62.29 | \$63.04 | \$61.58 | \$62.09 | 0.8% | -1.5% | 0% | 37% | | |
| 64408 | Vagus nerve | | \$33.01 | \$63.37 | \$52.30 | \$63.73 | \$63.88 | 0.2% | 22.1% | 1% | 94% | | |
| 64410 | Phrenic nerve | \$333.0 | \$111.70 | \$115.77 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | 198% | 209% | 4% | |

ASIPP OF UTERVENTION

American Society of Interventional Pain Physicians "The Voice of Interventional Pain Management"

The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

2017 ASC FINAL Payment Rates

| CPT | Description | | Transitional Payment Rate | | | | | | | | | | | |
|-------|---|---------|---------------------------|----------|----------|----------|----------|--------|---------------|-------------|-------------|------|--|--|
| | | 2007 | 2014 | 2015 | 2016 | 2017P | 2017F | | ange 201 | | 0044 | 0007 | | |
| 64413 | Cervical plexus | | \$50.57 | \$73.75 | \$73.07 | \$71.97 | \$72.50 | 2017P | 2016 -0.8% | 2015 -2% | 2014 43% | 2007 | | |
| 04413 | Brachial plexus | | \$00.5 <i>1</i> | \$13.13 | \$73.07 | \$71.97 | \$72.50 | 0.7% | -0.0% | -270 | 43% | | | |
| 64415 | | \$139.0 | \$195.55 | \$204.32 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | 69% | 76% | 148% | | |
| 64417 | Axillary nerve | \$139.0 | \$195.55 | \$204.32 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | 69% | 76% | 148% | | |
| 64418 | Suprascapular nerve | | \$68.12 | \$96.66 | \$97.07 | \$94.52 | \$95.46 | 1.0% | -1.7% | -1% | 40% | | | |
| 64420 | Intercostal, single | \$139.0 | \$195.55 | \$204.32 | \$327.22 | \$308.43 | \$273.83 | -11.2% | -16.3% | 34% | 40% | 97% | | |
| 64421 | Intercostal, multiple, regional block | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | -6% | -7% | 4% | | |
| 64425 | llioinguinal, lliohypogastric | | \$48.47 | \$65.16 | \$67.34 | \$64.81 | \$65.32 | 0.8% | -3.0% | 0% | 35% | | | |
| 64445 | Sciatic nerve | | \$57.38 | \$78.76 | \$82.03 | \$78.77 | \$79.31 | 0.7% | -3.3% | 1% | 38% | | | |
| 64450 | Other peripheral nerve or branch | | \$37.99 | \$52.27 | \$52.30 | \$51.56 | \$52.04 | 0.9% | -0.5% | 0% | 37% | | | |
| 64479 | Cervical transforaminal epidural injections | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | -6% | -7% | 4% | | |
| 64483 | Lumbar/sacral transforaminal epidural injections | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$382.99 | \$344.95 | -9.9% | 5.4% | -6% | -7% | 4% | | |
| 64490 | Cervical and thoracic facet joint injections, 1st Level | \$333.0 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | 4% | | |
| 64493 | Paravertebral facet joint or facet joint nerve; lumbar/sacral, 1st Level | \$333.0 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | 4% | | |
| 64505 | Injection, sphenopalatine ganglion | | \$38.78 | \$52.27 | \$53.01 | \$52.63 | \$53.12 | 0.9% | 0.2% | 2% | 37% | | | |
| 64508 | Injection, Carotid sinus (separate procedure) | | \$13.36 | \$14.68 | \$18.63 | \$15.75 | \$15.79 | 0.3% | -15.2% | 8% | 18% | | | |
| 64510 | Injection, Stellate ganglion (cervical sympathetic) | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$344.95 | 11.8% | 5.4% | -6% | -7% | 4% | | |
| 64520 | Injection, lumbar or thoracic (paravertebral sympathetic) | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$382.99 | \$344.95 | -9.9% | 5.4% | -6% | -7% | 4% | | |
| 64530 | Injection, celiac plexus, | \$333.0 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | 4% | | |
| 64600 | Destruction by neurolytic agent, trigeminal nerve | \$333.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | 4% | | |

ASIPP TO MARKEN STATE

American Society of Interventional Pain Physicians

" The Voice of Interventional Pain Management " 81 Lakeview Drive, Paducah, KY 42001 Tel.: (270) 554-9412; Fax : (270) 554-8987 E-mail:asipp@asipp.org

2017 ASC FINAL Payment Rates

| CPT | Description | Transitional Payment Rate | | | | | | | | | | |
|-------|--|---------------------------|----------|----------|----------|----------|----------|---------|----------|---------|------|------|
| | | 2007 | 2014 | 2015 | 2016 | 2017P | 2017F | % of Ch | ange 201 | 7 Final | | |
| | | | | | | | | 2017P | 2016 | 2015 | 2014 | 2007 |
| 64605 | Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen ovale | \$333.0 | \$764.49 | \$758.63 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | 4% | 3% | 137% |
| 64610 | Destruction by neurolytic agent, trigeminal nerve; second and third division branches at foramen | \$333.0 | \$764.49 | \$758.63 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | 4% | 3% | 137% |
| 64612 | Chemodenervation of muscle(s); muscle(s) innervated | | \$53.71 | \$72.68 | \$73.43 | \$72.32 | \$72.85 | 0.7% | -0.8% | 0% | 36% | |
| 64620 | Intercostal nerve - neurolysis | \$333.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | 4% |
| 64630 | Pudendal nerve - neurolysis | \$351.9 | \$370.07 | \$368.37 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -6% | -7% | -2% |
| 64633 | Paravertebral facet joint nerve; C/T, single level neurolysis | \$333.0 | \$853.53 | \$805.75 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | -2% | -8% | 137% |
| 64635 | Paravertebral facet joint nerve; L/S, single level neurolysis | \$333.0 | \$853.53 | \$805.75 | \$778.70 | \$783.40 | \$788.19 | 0.6% | 1.2% | -2% | -8% | 137% |
| 64640 | Other peripheral nerve or branch neurolysis | | \$63.93 | \$87.71 | \$88.48 | \$86.29 | \$86.85 | 0.6% | -1.8% | -1% | 36% | |
| 64680 | Celiac plexus neurolysis | \$391.0 | \$853.53 | \$805.75 | \$459.71 | \$382.99 | \$344.95 | -9.9% | -25.0% | -57% | -60% | -12% |
| G0260 | (27096) Sacroiliac joint, arthrography | \$333.0 | \$370.07 | \$368.37 | \$327.22 | \$308.43 | \$273.83 | -11.2% | -16.3% | -26% | -26% | -18% |

Note: 72275, 72285, 72291, 72292, 72295, 77001, 77002, 77003 are Packaged service/item; no separate payment made for ASC codes.

No payments for all Add-on codes